




Trojan Deep-Cycle Gel[™]

Trojan Deep-Cycle Gel,

AGM.

Trojan Deep-Cycle Gel™

VRLA (Valve Regulated Lead Acid – Acid - FLA), VRLA- (Flooded Lead



VRLA- (health and safety-sensitive - HSE),

VRLA

99%, (1-4)

(/)


Deep-Cycle Gel™,

:

FLA-

FLA-

(2).



FLA-

2

FLA-

AGM-

Trojan

Gel

- ()
- (~3%)
- - ()
-) ()
- ;
-)
-

Gel

- (,)
- , FLA ()
-
-
- ;

Trojan Deep-Cycle Gel :

- (RV)
- ()
-
-
-
-

Deep-Cycle Gel

AGM

AGM (Absorbed Glass Mat) - VRLA- , ,

() , AGM- , AGM-

AGM- ,

AGM- FLA ,

Deep-Cycle Gel

AGM:

Gel

- ()
-
-
- ()
- ,
- ,
-)

AGM

- ()
-

Gel

-
-

AGM



- ()
- ()
- ()
- ()

Тест на количество циклов

Cycle Gel™

AGM

Trojan Battery's Deep-



FLA

(

)

FLA-

FLA-
(RV),

FLA-

FLA-

FLA-

FLA

FLA-

FLA-

, RV,

, FLA-

(

)

FLA-

, Trojan Battery
(± 0,015)

1)

?

*

(-)

2)

?

*

80%

| | | | |
|-------------------------------|----------------------|---|--|
| Циклические приложения | Тяжёлые 50-80% ГР | Gel FLA Глубокого Цикла | |
| | Средние 30-50% ГР | Gel FLA Глубокого Цикла FLA Двойного Назначения AGM | AGM FLA Двойного Назначения |
| | Лёгкие <30% ГР | Gel AGM FLA Стартерные FLA Двойного Назначения | AGM FLA Двойного Назначения FLA Стартерные |
| | | Средние (без дополнительных требований на малых двигателях) | Тяжёлые (большие двигатели) |
| | | Стартерные нужды | |